SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) № FCA22051_Mrc1_ToR1



«ADOPTED»

Director of the Separated subdivision of Hungarian Interchurch Aid in Ukraine

Atmention

Janos Gerevych tall name

2024

TERMS OF REFERENCE #FCA22051_Mrc1_ToR1

for construction and installation works:

«ARRANGEMENT OF EXTERNAL DRAINAGE FROM THE ROOF OF THE GYMNASIUM IN THE VILLAGE OF MYRCHA, BUCHA DISTRICT, KYIV REGION»

Developed by:	•	*
Separated subdivision of Hungarian Interchu	rch Aid in Ukraine:	
Program officer for infrastructure rehabilitation and development	Egif	Kateryna Burmina
Position	Signature '	/full name/
	,	
Approved by:		
Separated subdivision of Hungarian Interchu	rch Aid in Ukraine:	
Program Manager FCA 22051	11/1	Fabiny Lóránt
Position	Signature/	full name /
Annroyed by:		
Education Department of Borodyanka Village	Council:	
Head of the Education Department of Borodyanka Village Council	1	Natalia Novikova
/ Position 90	s · Signature /	full name /
Director of the Myrcha expinasium and a	Signature /	Natalia Krytska full name '
Facility Manager of Myrcha gymnasium / Position	/Signature/	Olexander Kaminsky full name /

Myrcha village 2024

SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) Nº FCA22051 Mrc1_ToR1



The construction and installation works are shown in Table 1.

-	PR.			
- 1	10	h	l۵	1

Section number	Nome of the meeting	Content
	Ge	eneral information
1	Name and location of the facility	Arrangement of external drainage from the roof of the Myrcha gymnasium of the Borodyanka village council of Kyiv region at the address: I Kotsyubynskoho Str., Myrcha village, 07810. Kyiv region, Bucha district, Ukraine
2	Purpose of the work	Organization of rainwater drainage from the roof of the
3	Information about the investor (Payer	Separated subdivision of Hungarian Interchurch Aid i
. 4	Information about the Customer	Department of Education of Borodyanka village council
5	Source of financing	Charitable funds
. 6	Information about the general contractor	To be determined by the results of the tender
7	Method of work performance	Contracting
8	Design stages	Developing of design project documentation in not demanded
9	Scope of work to be performed	This Terms of Reference envisages the implementation of a set of works on the arrangement of external drainage from the roof of the Myrcha gymnasium of the Borodyanka village council of the Kyiv region, including: - Installation of the drop apron: - Painting of the drop apron: - Installation of organized drainage system: - Sheathing of the roof with plancer under 500 mm wide. Estimated scope of works and list of materials are listed Annexes 1.1 and 1.2 to the hereby ToR. Notes: 1. The annexes contain the main types of works: all other additional works shall be reflected in the estimate documentation and taken into account when Contractor will be preparing the commercial offer. 2. The PVC gutter in set with fasteners is purchased and stored at the facility. Compliance with the requirements of the standards and
10	Technical requirements for materials	regulations related to the performed works that are actual in Ukraine country.
11	Grounds for the work	Letter from the Education Department of Borodyanka Village Council No. 01-21/923 dated on 23 rd of July 2024.
12	Architecture planning requirements and characteristics of the facility under repair	One-story school building with an attic and a gable roof. The elevation of the drop apron sheathing board is +3,500.
13	Special construction conditions	Construction conditions - the building is in operation. Energy sources - water, electricity from the grid are at the Customer's expense. Contractor has to provide a backup power source on own expense: fuel and a generator in case of power outage - to be taken into account in the amount of 50% of the total electricity demand, and if the total usage time will exceed 50% of the total electricity demand, that has to be

SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) № FCA22051_Mrc1_ToR1



	,	
	At the state of th	
		additionally agreed with the Payer about fuel consumption.
		working hours and time accounting method.
		The presence of the military – absent.
		Other complicating factors are preliminary absent. Necessit to include any additional factors shall be considered within
		Contractor's inspection of the facility and included in to the
		commercial offer.
	Construction	on and installation works
	100 m 200 m	1. The Contractor must be provided with its own equipment
		materials, machinery, tools and devices for the works
		performing (to be provided list of tools and equipment
	A STATE OF THE STA	planned to be used, marked when own or rented in free formal
		report);
14	Requirements for technical support of	2. Mechanization tools and machines to be used in the
17	the contractor	construction must be certified, have technical inspection
		certificates and to be in good technical condition. (Provide a
		list of the mechanisms and machines planned to be used with
		a note if it is owned or rented in free format report):
		3. The Contractor has to provide its own transport for the
		works performance, to deliver all the equipment that will be
	to specify the second of the s	installed on the facility and to remove dismantled equipment.
		1. A business entity under the Ukraine country law (legal
		entity or individual entrepreneur) with minimum 2 year
		experience.
		2. To be eligible to carry out corresponding business
		activity with the relevant SIC (Standard Industrial
		Classification) code presence.
		3. Availability of licenses to carry out corresponding
		business activities, if it is subject for licensing (copy to be
		provided):
		4. Availability of permits and declarations for the
		performance of high-risk works in accordance with the
		Resolution of the Cabinet of Ministers of Ukraine No. 1107
		(copies to be provided):
		- Installation, dismantling and overhaul of buildings,
		structures. as well as restoration and strengthening of their
		hazardous parts.
15	Requirements for the contractor	- Works performed at a height of more than 1.3 meters.
		- Application of paint and varnish coatings, primers and
		putties based on nitro paints, polymer compositions (PVC,
		epoxy, etc.)
		5. The Contractor is obliged to perform the work
		properly with minimal disturbance and inconvenience to the
		children, teachers, staff and visitors of the educational
		institution; to take into account working hours of the
		institution, to take into account working nours of the
*******		institution when planning works performing.
		6. The Contractor is obliged to guarantee professional
		and technical competence of employees and workers. The
		Contractor shall provide qualified labor and equipment to
		perform the work in accordance with the specifications and
		hereby ToR.
		7. Upon completion of the works and before signing the
	~	"Act of the Major Construction Works Completion", the
		Contractor shall provide the Payer (or his authorized

SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) № FCA22051 Mrci_ToR1



		representative) with the as-built drawings (in digital and paper forms) and a set of as-built documentation in accordance with State Building Standards A.3.1-5:2016. 8. The Contractor shall ensure daily presence of the construction manager at the site. 9. Availability of reference letters for similar works with specification of contacts of organizations/customers (copy to
	,	be provided). 1. Copy of a valid registration certificate / Extract from the Unified State Register.
infirite transcension		2. Bank account statement with details and no debits report.
		 Copy of the valid tax payer certificate. Certificate of criminal records absence (in director's history) (can be provided on playtender.com.ua) Financial reports of the company for the previous
		reporting period (forms No. 1-MS, 2-MS) 6. Contact information - in free format report, with the necessary details:
		 Full name of the company; Unified State Register number and Individual Tax Number; Payment account number, name of the Bank and it's Bank Branch Location Code;
		- Contact e-mail address; - Name and surname of the head of the company or an authorized person to sign the agreements, and his/her contact information;
15.1	List of necessary documents to be provided by the contractor for qualification	- Legal and actual addresses of the company; - Contact information of the person responsible for negotiations. 7. The second s
		7. Scanned copies of licenses or other permits for conducting business activities in accordance with the current legislations of Ukraine country, or a letter of explanation that this type of activity is not subject to licensing:
		 Documents confirming the Contractor's ability to carry out transportation and delivery of materials/equipment (vehicle ownership, lease agreement or service agreement). Reference letter, according to Annex 4.
		 10. Copies of contracts, invoices, and delivery notes for similar works performed in the last 3 years. 11. A copy of the notarized power of attorney/order of authority of the director.
		 12. Estimated documentation - executed in compliance with the requirements specified in Annex 2. 13. Schedule of the works performance - in the form given in Annex 3 to this ToR.
eritore en en encontanta con consumer e la cinaciona de la consumer e la consume	,	***All documents to be submitted as scanned copies. ***The complete package of the tender documents must be signed and sealed.
16	Occupational health and safety requirements	The Contractor shall be responsible for the organization of safety measures at the construction site during the entire duration of the project. The Contractor shall be fully responsible for the safety of personnel, equipment and materials at the site throughout the duration of the project until

SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) Nº FCA22051 Mrc1_ToR1



470		
1.7	Supply of energy carriers	the "Act of the Major Construction Works Completion" will be signed. All works, materials and installations should be protected from damage and theft. Protective measures shall be taken to prevent unauthorized access to the construction site and to the works and goods located thereon at the expense of the contractor. The works shall be performed in accordance with the applicable laws and regulations in Ukraine. Energy sources - water, electricity from the grid at the expense of the Customer. Contractor has to provide a backup power source on own expense: fuel and a generator in case of power outage - to be taken into account in the amount of 50% of the total electricity demand, and if the total usage time will exceed 50% of the total electricity demand, that has to be
		additionally agreed with the Payer about fuel consumption.
ministra rue.		working hours and time accounting method.
		The Contractor guarantees the collection and storage of all types of waste (in accordance with the rules of handling) in pre-prepared places with subsequent removal for disposal. The Contractor guarantees timely submission of all commission accepted hidden works - fully signed acts for the
18	Additional requirements for construction and demolition works	closure of hidden works executed in accordance with State Building Standards A.3.1-5: 2016. in the absence of approval of the acts - the WORKS WILL NOT BE CONSIDERED AS DONE AND WILL NOT BE SUBJECT FOR CLOSURE AND PAYMENT. The Contractor guarantees timely adjustment of the estimate documentation and reflection in the final list of resources of materials, machines and mechanisms that will be actually used
		in the performance of work before the conclusion of the contract. All subsequent adjustments must be justified and made in a timely manner prior to the submission of the acts of completion. Building and construction works price will be agreed after the Customer will review the estimate documentation.
19	Cleaning and waste disposal	Obligatory cleaning of the construction site during and after the work with the removal of waste for disposal/remediation/burial and include in the estimated cost of waste disposal.
20	Requirements for dismantling works	No dismantling is provided
21	Requirements for reliability, warranty period of operation	5 years
22	Term of work performance	30 calendar days from the date of prepayment, in accordance with the schedule agreed with the Customer, drawn up in the
	Sumly of a	form in accordance with Annex 3. of goods and materials
23	Completeness of goods and materials	Materials procurement and supply has to be implemented on the basis of developed by the Contractor and approved by the Customer and Payer estimate documentation. The Contractor will deliver all materials to the facility.
	Agreeing on prices for the Contractor's goods and materials	Prices must be agreed on the estimate documentation development stage. When calculating the cost of goods and

SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) No FCA22051 Mrc1_ToR1



		materials, the costs of procurement and warehousing activities
		must be taken into account.
		The completeness and composition of the operational documentation must comply with the State Standard of Ukraine 2.610:2006.
		Documentation for goods and materials supply must be in Ukrainian language, in paper kind with the seal of the manufacturer:
2000		 quality certificates, quality passports: certificates of conformity or Declaration of Conformity to the Technical Regulations provided for by Ukrainian legislations for this equipment;
25	Requirements for documentation of goods and materials	- passport for the component product with mandatory information, certification and disposal of the product, indicating the amount of precious metals, non-ferrous and
		ferrous metals in the product: - warranty card; - instructions for maintenance and operation of the equipment;
. 1		 - assembly and installation instructions; - dimensional drawings; - other documentation required for a particular type of goods
		and materials. If the equipment is manufactured in Ukraine and does not fall under the scope of technical regulations of Ukraine country, a quality certificate for the product must be provided.
26	Packaging requirements	Compliance with the requirements of the applicable Ukrainian standards for packaging that is acceptable for outdoor storage.
27	Ensuring storage conditions	Labeling requirements Compliance with the labeling standards in force in Ukraine.
28	Health, safety and environmental requirements	Compliance with the laws and regulations of Ukraine.
29	Other requirements	The Contractor is responsible for the goods and materials storage until the completion of the works.

Annexes:

Annex 1.1 Estimated scope of works on «Arrangement of external drainage from the roof of the gymnasium in the village of Myrcha, Bucha district, Kyiv region» at the address: Ukraine, 07810, Kyiv region, Bucha district, Myrcha village, I Kotsyubynskoho str.

Annex 1.2 Estimated volumes of materials for «Arrangement of external drainage from the roof of the gymnasium in the village of Myrcha, Bucha district, Kyiv region» at the address: Ukraine, 07810, Kyiv region, Bucha district, Myrcha village, 1 Kotsyubynskoho str.

Annex 1.3 Extract from the Technical Inventory Bureau passport of Myrcha Gymnasium of Borodyanka Village Council of Kyiv Region.

Annex 2 Requirements for preparation of estimate documentation.

Annex 3 Recommended form of the schedule.

Annex 4 Recommended form of the reference letter.

Annex 5 Letter from the Education Department of Borodyansky village council No. 01-21/923 dated 23.07.2024.

Annex 6 Defect act about «Arrangement of external drainage from the roof of the gymnasium in the village of Myrcha, Bucha district, Kyiv region» from the Education Department of Borodyansky village council.

SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) M FCA22051 Mrc1_ToR1



Annex 1.1
To Terms of Reference (ToR) No FCA22051_Mrc1_ToR1

Estimated scope of works on «Arrangement of external drainage from the roof of the gymnasium in the village of Myrcha, Bucha district, Kyiv region» at the address: Ukraine, 07810, Kyiv region, Bucha district, Myrcha village, 1 Kotsyubynskoho str.

Ne	Name of works and expenses	Unit	Quantity	Notes
9	2	. 4	5	6
	Section 1. Option 1: Making a wooden plancer	The state of the s	Andrewson of the Control of the Cont	Approximation of the second se
1	Sheathing of drop aprons on the masonry walls, setoff under 500mm.	···m	280	
2	Advanced ceiling coloring with oil paint applied on wood.	m2	140	and the second s
3	Application of fire retardant coating on horizontal and vertical surfaces of wooden structures	m2	392	And harmonia and a second
170	Section 2: Option 2. Installation of a metal plancer			- Charles and Carried and Carr
4	Drop aprons finishing with metal panels, width under 500mm.	111	176	
	Section 3. Installation of the external organized drainage			The control of the co
5	Arrangement of suspended gutters made from PVC pipes at a height of up to 3.5 m.	m	252	and the second s
6	Hanging of drainage pipes at a height of up to 3.5 m.	m	116	System of the Control

Developed by:

Program officer for infrastructure rehabilitation and development

Position/

Signature'

Kateryna Burmina

full name

Approved by:

Education Department of Borodianka Village Council

Facility Manager of Myrcha gymnasium

Position

/leegas?

Olexander Kaminsky


full name

SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) № FCA22051_Mrc1_ToR1



Annex 1.1 (continuation)
To Terms of Reference (ToR) № FCA22051_Mrc1_ToR1

External drainage unit from the roof (conventionally)



Developed by:

Program officer for infrastructure rehabilitation and development

Position/

Cherf Signature

Kateryna Burmina

full name

Approved by:

Education Department of Borodianka Village

Facility Manager of Myrcha gymnasium

Position/

Signature

Olexander Kaminsky full name

SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) M FCA22051 Mrc1 ToR1



Annex 1.2
To Terms of Reference (ToR)No FCA22051_Mrc1_ToR1

Estimated volumes of materials for «Arrangement of external drainage from the roof of the gymnasium in the village of Myrcha, Bucha district, Kyiv region» at the address: Ukraine, 07810,

Ne	Name of materials	Characteristics	Unit	Quantity	Notes
***************************************	Option 1 of the work performance			- Commission of the Commission	
Page 1	Softwood board, length 4,0-6.5m. width 75- 100mm, thickness 30mm, second class quality.	© 1996 to the second	m3	4.2	
2	Construction nails 3,5x70mm.		kg	10	Contract Con
3	Flame retardant	1994 (1994) ti gitti a tenta anno anno anno anno anno anno anno a	1	156.8	AND
4	Gutter stopper ProAqua 150mm with sealing, left angling, white color.		pc.	3	Customer's supply
5	Gutter stopper ProAqua 150mm with sealing, right angling, white color.	enterprise a commence de la composition de la composition de la composition de la composition de la compositio	pc.	3	Customer's supply
6	Watering can ProAqua#150/110mm white	The second secon	pc.	17	Customer's supply
7	Downpipe ProAqua (3 m.) #110mm white	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	pc.	26	Customer's supply
8	Elbow (67.5) ProAqua 110mm with two sockets white		pc.	17	Customer's supply
9	ProAqua downpipe clamp 110mm white	anama a girini.	pc.	153	Customer's supply
0	Gutter angle inner (90) ProAqua 150mm white	274 - Administrative de la companya	pc.	2	Customer's supply
1 -	Gutter angle external (90) ProAqua 150mm white	Cocheco and a second a second and a second a	pc.	2	Customer's supply
2	Gutter bracket PVC ProAqua 150mm white		pc.	460	Customer's supply
3	ProAqua pipe coupling 110mm with one socket white	and special control of the control o	pc.	17	Customer's supply
4	Frame dowel with double-screw stud 12x200 n=25 (100)	994-9944 service and columns service and colum	pc.		Customer's supply
5	Gutter ProAqua (3 m) 150mm white	· ·	pc.	77	Customer's supply
5	Gutter connector ProAqua 150mm white		pc.	67	Customer's supply
	Option 2 of the work performance		1	CONTRACTOR OF THE PROPERTY OF	no alla dan dan dan arang
7	Metal panels with a width of up to 500 mm, including fastening elements - guide rails, brackets and hardware)		m2	200.64	

Position/

1. Listed materials, grades and types are estimated; if necessary, the Contractor should provide any kind of analog or more technically grounded equipping.

2. When calculating, please take into account all the necessary materials and works that are not specified in the estimated information, but technically and technologically necessary.

and technologically horosony.		
Developed by:		
Program officer for infrastructure	Colone	Kateryna Burmina
rehabilitation and development	904	Kateryna Dumma
Position'	Signature/	full name
Approved by:		1 367 5 6 5 5 5 5 1 5 1 5 5
Education Department of Borodianka Village		
Council		
Facility Manager of Myrcha gymnasium	1 Charles San	Olexander Kaminsky

Signature/


full name /

SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) № FCA22051_ Mrc1_ToR1



Annex 1.3 To Terms of Reference (ToR)N2 FCA22051_Mrc1_ToR1

Extract from the Technical Inventory Bureau passport of Myrcha Gymnasium of Borodyanka Village Council of Kyiv Region



SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) № FCA22051- Mrc1 ToR1



Annex 2

To Terms of Reference (ToR)№ FCA22051_Mrc1_ToR1 Requirements for preparation of estimate documentation

- 1. The Contract Price(as document) shall be calculated on the basis of the normative need for labor and material and technical resources required for the implementation of design solutions for the construction facility and current prices for them
- 2. The Contractor's Contract Price shall consist of:
- Calculations of contract prices (in the form of Annex 30 to the Guidelines for determining the cost of construction);
- local cost estimates for construction, installation and commissioning works (in the form of Annexes 1 and 3 to the Guidelines for Determining the Cost of Construction);
- local cost estimates for the purchase of equipment (in the form of Annex 2 to the Guidelines for Determining the Cost of Construction):
- Resource statements in the form of Appendix 4 to the Guidelines for Determining the Cost of Construction.
- calculations of general production costs;
- if necessary: calculations of the costs of transportation of workers, business trips of workers, relocation of the Contractor and others (in any form), etc.
- calculations of funds to cover the administrative expenses of the Bidder (according to Annex 26 to the Guidelines for determining the cost of construction):
- calculations of profit (within the averages recommended by the Ministry of Regional Development in agreement with the Ministry of Economy) (according to Annex 25 to the Guidelines for determining the cost of construction).
- 3. The Contract Price and estimate documentation are formed on the basis of the cost of construction works, which includes: direct, general production and other costs of construction of the facility, profit, funds to cover administrative expenses of construction organizations, funds for additional costs and funds for payment of taxes, fees, mandatory payments.
- 4. The Contract Price shall be calculated taking into account the costs of:
- Compensation for costs associated with the disturbance of landscaping, calculated in accordance with the regulations of local governments;
- Temporary storage of soil for backfilling, permanent storage of displaced soil and disposal of construction waste (the Contractor shall independently decide on the landfills for temporary storage of soil removed from the work site (construction site). Compensation of expenses shall be made within the funds for such expenses provided for in the estimate documentation):
- other expenses related to the performance of works.
- 5. The Contractor's Contract Price shall also include a separate section to cover the costs associated with the purchase and delivery of equipment to the construction site.
- 6. The estimate documentation must take into account the reasonable costs of supervision of installation and/or supervision of commissioning of equipment and materials. if the technical specifications for the manufacture of equipment require supervision during its installation.
- 7. Wages as part of direct costs shall be calculated by the Contractor on the basis of standard labor costs for a certain amount of work and the cost per man-hour of the average standard category of these works for the unit of construction and installation workers and the average standard category of the unit of workers engaged in the management and maintenance of construction machinery and equipment.

The cost of a man-hour corresponding to the average standard category of work either by type of work or for the construction facility as a whole is determined on the basis of the average monthly salary per full-time employee that the Contractor plans to receive at the order facility, taking into account the average monthly working hours established by the central executive body for the formation and implementation of state policy in the field of labor, employment, labor migration. labor benefits, and labor migration.

The Employer recommends the level of salary for category 3.8 - 19.087.19 UAH per month.

- 8. The cost of materials shall be determined on the basis of the normative need and current prices for them, which shall not exceed the price level prevailing in the region during the period of preparation of the estimate documentation. The current prices of materials shall be determined taking into account the costs of their loading, unloading, transportation and procurement and storage costs.
- 9. The Contractor shall determine the cost of operation of construction machines and mechanisms as part of direct costs based on the standard operating time of the machines required to perform the scope of work proposed and the cost of operation of the machines per unit of time of their use (machine hours) in current prices, taking into account

SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) № FCA22051 Mrc1 ToR1



the provisions of clauses 5.5 - 5.9 of the Guidelines for determining the cost of construction.

In case the Contractor engages leased machines and mechanisms, the cost of which exceeds the prices calculated taking into account the provisions of clauses 5.5 - 5.9 of the Guidelines for determining the cost of construction, the Contractor shall provide supporting documents - lease agreement, calculations, etc.

General production costs as part of the Contract Price shall be calculated based on the structure of these costs that has developed in the contractor's organization for the previous period, taking into account the provisions of the Methodological Recommendations on the formation of the cost of construction and installation works, approved by the order of the Ministry of Regional Development dated 31.12.2010 No. 573, and the list of general production costs given in Annex 10 of the Guidelines for determining the cost of construction.

The Contractor may also include in the price of the tender proposal the funds necessary to ensure the

implementation of the construction in general, namely

- funds for construction works in winter or summer periods, calculated in accordance with clauses 5.21-5.27 of the Guidelines for Determining the Cost of Construction, and determined only for the scope of works planned for winter or summer periods in accordance with the Construction Management Project.

- funds to cover other costs are determined by reasonable calculations based on the provisions of the applicable legislation, project documentation, the Customer's initial data on the construction, conditions of construction works. location of the construction site in relation to the location of the construction company, etc. Such funds include funds for business trips of the construction company's employees to the construction site, etc.

When calculating travel expenses, the following shall be taken into account

- the level of daily expenses in the amount of no more than UAH 600 is recommended.

- travel expenses not exceeding UAH 400.

- the maximum limit of expenses for renting accommodation is recommended to be no more than UAH 600 per day

If the Contractor plans to manufacture certain construction materials, products and kits on its own at secondary production facilities within its structure to perform construction works, the prices for such material resources shall be accepted according to the relevant calculations approved by the Contractor in accordance with the established procedure (at production cost). Profit and administrative expenses shall be taken into account in the Contract Price for the construction project as a whole and shall be calculated taking into account the labor costs of the structural unit of the Contractor that produces these material resources.

At the same time, the relevant prices for such material resources, together with profit and administrative expenses. shall not exceed the average prices of other producers for the same resources prevailing in the region, taking into

account transportation costs for the delivery of these resources to the on-site warehouse.

Information on the Contract Price and estimate documentation shall be provided in electronic form in the format of an information data block (preferably in the format of the AVK-5 information complex or a similar software package that integrates with the AVK-5 program). The Contractor has the right to provide Contract Price calculations in the format of equivalent software, while guaranteeing the possibility of full integration of files (without loss of data) into the existing software of the Customer, and that such integration will not lead to additional costs. From a technical point of view, such electronic computations will be considered by the Customer as equivalent.

Those works for which the Contractor has not given quotations or prices shall not be paid by the Employer after their completion. They are considered to be included in the prices for other categories of work in the estimate

documentation.

All taxes and duties to be paid by the Contractor, as well as other costs associated with the performance of the work in accordance with these Specifications, shall be included in the estimates and the Contract Price.

The Contract Price may be changed downward (without changing the quantity (volume) and quality of goods, works and services) in case of correction of arithmetic and methodological errors, negotiations.

SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) № FCA22051 Mrc1_ToR1



Annex 3
To Terms of Reference (ToR)No FCA22051_Mrc1_ToR1
Recommended form of the schedule

Schedule of construction and installation works

(Calendar schedule)

«Arrangement of external drainage from the roof of the gymnasium in the village of Myrcha. Bucha district, Kyiv region» at the address: Ukraine, 07810. Kyiv region, Bucha district, Myrcha village, 1 Kotsyubynskoho str.

No	Name of work	Unit	Quantity	Duration.	Calcidal days															
		manufacture of the second state of the second		days	1	2	3	4	-5	6	7	8	9	10	11	12	13	14	15	1
1					4	511						13		1		É		Paradiananan A.	-	*
2				* *************************************			58		ME.			100			THE R		14.50			-
3	The state of the s									-		* .			Augusta		2.000.000	7.1		
				The same of the sa		Marin Marine					-									
.,			S 200-200-200-200-200-200-200-200-200-200	THE STATE OF THE S	****		ererenci (con	*************											Proposition of the Proposition o	
	,												-				1		7	-
															-					
. TI	ne Contractor may co								i							. *				
. Thea		the corre	ct organiza or shall not	on works					ě							· ×				
. Thea	ne Contractor may co d of schedule, but for ptance procedure, the	the corre	ct organiza or shall not	on works					ě			Con	tra	etor	19	. *				
. Thea	ne Contractor may co d of schedule, but for ptance procedure, the	the corre	ct organiza or shall not	on works			1.00		•				oncu nquarter	ctor				9		
hea cce	ne Contractor may co d of schedule, but for ptance procedure, the	the corre	ct organiza or shall not	on works	Di	rec	tor (or o	othe	er au		Com	pany							

SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) № FCA22051_Mrc1_ToR1



Annex 4
To Terms of Reference (ToR)Nº FCA22051_Mrc1_ToR1
Recommended form of the reference letter

SHOULD BE DRAWN UP ON THE LETTERHEAD OF THE CONTRACTOR'S COMPANY

Reference Letter

		Co	ompany name		
SCHOOL SELECTION OF SCHOOL	2024				
No.	Name of the company - the Customer (Unified State Register Number)	Contact information of the Customer (person who can provide information about the Contractor)	A brief list of construction and installation works performed	The amount of the contract (if it is not a trade secret)	The period of implementation of the construction and installation works
2	Marinet and the state of the st				HISTAINATION WOFKS
3		The design proposed was a second seco	TO TE PARTY AND THE STATE OF THE PARTY OF THE STATE OF TH	OCCODER - CONTRACTOR - CONTRACT	
9 9 G			Activities and appropriate for		Old Subulbandan Anno Control C
		- Constitution - Cons			
		1	* White Action construency construency	PARANETE SE	
Director					
Company	name	Stamp /Signat	ure/	full name	

SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) № FCA22051_ Mrc1_ToR1



Annex 5
To Terms of Reference (ToR)№ FCA22051_Mrc1_ToR1

Letter of the Education Department from Borodyansky village council No. 01-21/923 dated 23.07.2024.



ВІДДІЛ ОСВІТИ

вул. Центральна, 226, с-ще Бородянка, Київської області, 07801, тел. ±38 (098) 310-22-43 E-mail: osvitabsr@ukr.net Код ЄДРПОУ 43078651

від 23.07.2024 № 01-21/923

ВІДОКРЕМЛЕНИЙ ПІДРОЗДІЛ УГОРСЬКОЇ ЕКУМЕНІЧНОЇ СЛУЖБИ ДОПОМОГИ В УКРАЇНІ

Відділ освіти Бородянської селишної ради звертається із проханням провести ремонт покрівлі Мирчанської гімназії, будівля якої зазнала пошкоджень внаслідок ведення активних бойових дій на території громади.

Адреса закладу: вул. Коцюбинського, бул. 1. с. Мирча, Бучанський район, Київська область.

Директор – Кришька Наталія Миколаївна, тел. 098-579-22-73; osvitamircha@ukr.net.

3 повагою Начальник відлілу освіти My

Наталія НОВІКОВА

Бералука Оксана 063-438-44-42

SEPARATED SUBDIVISION OF HUNGAGIAN INTERCHURCH AID IN UKRAINE TERMS OF REFERENCE (ToR) № FCA22051_ Mrc1_ToR1



To Terms of Reference (ToR)№ FCA22051_Mrc1_ToR1 Annex 6 Defect act about «Arrangement of external drainage from the roof of the gymnasium in the village of Myrcha, Bucha district, Kyiv region» from the Education Department of Borodyansky village council.

3ATBEP/DKEHO Начальник відділу освіти Бороди

ПЕФЕКТНИЙ АКТ

Начальних відділу

що знаходиться за адресою. Україна: 07810, Київська область Буч

n/r	Management and the second seco	Оджинця виміру	Кимисть	Примпка
1.	. 2	3	4	3
	Пональний явытория 02-01-01 на «Роботи по вначитуванния зовнішнюго водовідавражних з поківкі Мирчанської гмназаї Бородинської одпишної ради Київської область, що знакодиться за адресою, Україна, 07810, Київська область, Буланський район, с. Мирча, якл. Коцибенського, буд. 1».			
	Розділ 1. Вархант 1. Виконання дерек аного софту	in the state of th	ŕ	-
7	Підшивання карнизів з влаштуванням хобилок при кам'яхих стінах, виступ карнизу до 500 мм	Ac	280	- Angel
2	Поліпшене фарбування стель колієром опійним по дереву	M2	140	При реалиац шного вариант
3	Нанесення механізованим способом в один шар вогнезависного локриття з ангилорену на горизонтальні і вертикальні поверхні дерев'яних конструкцій	w2	392	Assette Assette
4	На хожний наступний шар нанесения вогнезахисного покриття з энтипірену додявати до норми 13-71-1	162	392	1000
	Розділ 2. Варіант 2. Монтаж металевого софту		1	dy a
5	Опоряджения карниза металевими панелями цигринов до 500 мм	w2	176	
	Роздіп 3. Монтяж зовнішнього організованого водовідводу.			
	Навішування водостічних труб колін, жолобів і лійок з готових влементів	N N	368	
	Posaco 4. Insui podote			
- 1	Установлення та розбирання зовнішніх металевих трубчастих інвентарних риштувань, аисота риштувань до 16 м	w2	840	
-	Додавати на кожні наступні 4 м висоти риштувань	w2	-640	

Cknae	Директор Мирчанської гімназії	1	KLEER	Наталія Комыка
	[nocada, riidnuc (sviujanu, riplaeuuge)]		2/	
Перенфия	Начальних відділу освіти Бородянської селищної ради. [посада, підпис (ініціали, пріхвище]]	-	1	Hatania Hoeixoe